## **DEC INTERNATIONAL TECHNICAL SPECIFICATIONS**



# **COMBIDEC 2300** LAMINATED DUCTING

COMBIDEC 2300 ducts are solid, very flexible, extremely strong laminate ducts for different ranges of application. The base of the COMBIDEC series is an aluminum laminate duct with an outer jacket of copolymer. The ducts can be attached easily to round and oval connection parts without any problems. The fire resistance of the COMBIDEC ducts has been tested in several countries, according to current international standards. Because of the "sandwich construction", the different layers of polyester, aluminium and copolymer are overlapping each other completely. In case of fire, the system is able to function longer. The outer jacket is wear resistant and steam tight.

The advantages of a **COMBIDEC** duct towards PVC ducting:

- Higher temperature resistance ٠
- Less smoke development in the case of fire
- The advantages of a **COMBIDEC** duct towards aluminium laminated ducting:
  - Higher tear resistance.
    - Better mechanical protection against external influences.
  - Better resistance under local pressure.
  - Higher resistance against puncture.

#### APPLICATION

- Steam return lines ٠
- Appl. where good mechanical strength is required
- to use in devices for mechanical aeration

#### SPECIFICATIONS

DC23G/B/W{Ø} Article code: Temperature range: -30 °C to 140 °C Operating pressure: up to +3000 Pa Operating air velocity: max. 30 m/s Bending radius: min. 0.58 x Ø Standard diameter range: 052 - 710 mm Standard length: 10 mtr

#### CONSTRUCTION

Total layers:	5
of aluminium:	3 à 25 microns
of polyester:	1 à 12 microns
of embossing	1 à 90 microns
Total thickness:	177 microns
	(excl. adhesive)
Wire spacing:	12,18,25 mm

Aluminium


#### **CLASSIFICATIONS**

Appearance:

UK (BS476): NL (NEN6065/6066): SE (BBR): CH (VKF/AEAI:

Part 6, 7 and 20 Class 1 and 3 TG0025 & TG0051 RF2

### PRESSURE LOSS (STRAIGHT DUCT)



The **COMBIDEC** fulfills all the requirements and are classified as specified within EN 13180: Ventilation for buildings – Ductwork - Dimensions and mechanical requirements for flexible ducts.

#### **Reach/RoHs Compliant**

Directive 2011/65/EU RoHS Phthalates according to 1907/2006/EC REACH



Test result: Pass - The test items meets the requirements of the test specification

#### LIABILITY:

The information contained in this brochure was current on the publication date. DEC INTERNATIONAL reserves the right to make publication details at any time without prior notice. In order to avoid misunderstandings, any interested party is advised to contact DEC INTERNATIONAL checking for any changes in materials and/or informative and the theorem and the standard stan information after this brochure was published.

PLEASE NOTICE:

The consultant is responsible for the actual installation and The consultant is responsible for the actual instaliation and mounting of the product. The mentioned values with respect to temperatures are not appropriate to be used to determine the physical properties. These properties are also dependent on humidity and the temperature of the air inside and outside of the H.V.A.C. system. DEC INTERNATIONAL - P.O. BOX 35 - NL-7500AA - ENSCHEDE

#### TRADEMARKS:

TRADEMARKS: COMBIDEC, the DEC logo and DEC International are trademarks, or registered trademarks of Dutch Environment Corporation BV in the Netherlands and/or other countries



RESTRICTIONS: The COMBIDEC ducts are not suitable

The COMBIDEL ducts are not suitable for discharging combustion products from open fireplaces and oil-fired boilers. Neither are the ducts suitable for transporting air with a high concentration of acid and base. THE NETHERLANDS - WWW.DECINTERNATIONAL.COM